




Tank Bluetooth Control

Control your Tank using Bluetooth from a phone or tablet.

Written By: Pete Prodoehl



INTRODUCTION

Control your Tank using Bluetooth from a phone or tablet.

Using a GamePad (or "DPAD") controller you can make the Tank forward & backward, and spin in either direction. You can also open and close the Gripper and adjust the speed of the Tank.



TOOLS:


- [Computer](#) (1)



PARTS:



- [Bit Board Rover Kit](#) (1)
- [micro:bit](#) (1)
- [Phone or Tablet](#) (1)

Step 1 — Bluetooth Control



- You can control your Tank using Bluetooth from a phone or tablet along with an app that supports the micro:bit's Bluetooth Messaging Event System.
- If you are using an iPhone or iPad you can use the GamePad (or "DPAD") controller found in the "Monitor & Control" section of the micro:bit iOS app.
- Find the iOS app here:
[https://apps.apple.com/gb/app/micro-bit/...](https://apps.apple.com/gb/app/micro-bit/)
- If you are using an Android phone or tablet you can use "Bitty Controller" which has its own "DPAD" controller option.
- Find Bitty Controller in the Google Play store here:
<https://play.google.com/store/apps/details?id=com.bittysoftware.bittycontroller>
- Find more information about Bitty Controller here:
<https://bittysoftware.blogspot.com/p/app...>

Step 2 — The DPAD



- ❗ The GamePad may look familiar if you've ever used a video game controller.
- The GamePad will control the Rover in the following manner:
 - 1 will move forward, 2 will move backwards.
 - 3 will spin to the left, 4 will spin to the right.
 - C will open the gripper, D will close the gripper.
 - A will increase speed, B will decrease speed.
- 🔖 Keep in mind you can change what any of these controls do by editing the code.

Step 3 — Load the Code



⚠ If you've never used a micro:bit before you'll want to check out this guide: [Bit Board V2 Setup and Use](https://makecode.microbit.org/_L9TVkqXcx...)

- We're going to load the following code for our **Tank Bluetooth** program:
https://makecode.microbit.org/_L9TVkqXcx...


ⓘ Note: This code will work with either of the apps mentioned in Step 1.

Step 4 — Pair with micro:bit




- You'll need to pair the phone or tablet with the micro:bit in your Tank.
- Please see the extensive guide to pairing provided on the [makecode.microbit.org](https://makecode.microbit.org/v0/ref-eren...) web site:
<https://makecode.microbit.org/v0/ref-eren...>
- Once you pair your device with the micro:bit on the Tank you can use the GamePad to control it!

Step 5 — Take it Further - Exploring the Code



```
on start
  bluetooth io pin service
  bluetooth button service
  set speed to 50
  set angleOpen to 105
  set angleClosed to 135
  servo write pin P15 (write only) to angleOpen
```



```
on event from MES_DPAD_CONTROLLER_ID with value MES_DPAD_BUTTON_1_DOWN
  spin other way pin P13 (write only) with speed speed
  spin one way pin P14 (write only) with speed speed

on event from MES_DPAD_CONTROLLER_ID with value MES_DPAD_BUTTON_1_UP
  turn off motor at pin P13
  turn off motor at pin P14
```

- The **on start** block has two commands to enable the Bluetooth services we need.
- The rest of the code in the **on start** block is just like other Tank code.
- The other blocks are all on event blocks, which are looking for data from the **MES_DPAD_CONTROLLER_ID** with a specific value.
- Besides the on start block, each dark gray block looks for a button to be down or up, and reacts appropriately.
- While these **Control** blocks look a bit more complex than other blocks, they are pretty easy to explore and use in your code.