

Rover - SwimBot

Who needs wheels to move around? We're going to add arms to our Rover and let it swim (or crawl) across the floor.

Written By: Pete Prodoehl



INTRODUCTION

Who needs wheels to move around? We're going to add arms to our Rover and let it swim (or crawl) across the floor.

TOOLS:	PARTS:
Computer (1)	 Bit Board Rover Kit (1)

Step 1 — Prepare Your Rover



- For this guide you'll need a completed <u>Rover Main Body</u>.
- You'll also need some of the parts used for building the Tank and the Gripper.



Step 2 — Remove the Wheels

- Remove the wheels from the Rover.
 - They should pop right off!
- You can store them with the other parts of the Rover Kit for now.

Step 3 — Build an Arm



 Build the arm as shown by inserting two black pins into the large gear, then attaching the angled beam.

Step 4 — Add the Foot



- Next add the axle with end stop to the end of the angled beam.
- Finally, add the two smaller gears onto the axle.
 - The gears will help by adding some **grip** when moving.

Step 5 — Build Another Arm



• Build the second arm as a mirrored version of the first one.

Step 6 — Attach the Arms



- Put the arms onto the servo shafts where the wheels were.
- Your Swimming Rover is almost ready to go. (We still need to add some code before it will move though.)

Step 7 — Load the Code



- If you've never used a micro:bit before you'll want to check out this guide: <u>Bit Board V2 Setup and Use</u>
 - We're going to load the following code for our SwimBot Forward program: <u>https://makecode.microbit.org/_48ffg</u> <u>a9Uw...</u>
 - This code is very simple, and just makes the Rover go forward. (For now!)

Step 8 — Test it Out!



- Power on the Rover and set it on the floor. (Carpet will work much better than a smooth floor, but it's time to experiment!)
- The Rover should crawl (or swim) forward. Though not very gracefully!

Step 9 — Take a Turn



- Hopefully your SwimBot went mostly straight. But... can you get it to turn one direction? Let's try!
- We can adjust things in two ways, either by adjusting the code, or by adjusting the physical build (in this case, the arms).
- Let's look at the code first...

Step 10 — Code Changes

on start	on start
set speed - to 50	set speed • to 50
forever call goForward 1	forever call goForward 3500 call turnLeft 1500

- Our original code just told the Rover to go forward for one millisecond, and then that command repeated over and over.
- Here is an example of a code change with turn left that could get your Rover moving with turns.
 - (The original code is shown on the left, new "turning" code on the right.)
- We did not include the function to make the Rover go **backwards** because doing so just flips it upside down! (So that's an option if you want it.)

Step 11 — Arm Changes



- Let's reload our original code that just made the SwimBot go forward. Done? Good!
- Now let's remove the arms and make some adjustments.
- Try moving the pins from the first and second holes of the beam to the third and fourth holes.
- Reattach the arms and give it a go! Is your SwimBot turning now?

Step 12 — Take it Further



- Want to take it further? One thing you can do is remove the caster wheel on the back of the Rover.
 See how it moves without it.
- You can also adjust the arms, flip them around, adjust the gears... Experiment!
- Alternately, leave your Rover as-is and make changes in the code. (Or make changes to both!)
- You can also adjust the speed in the code. How will that change how the Rover moves?
- You might even try <u>remotely controlling</u> this Swimming/Crawling. bot!
- See if you can find other ways to make a SwimBot (or CrawlBot) with the parts in your Rover Kit.